



# Your Guide to Increased Automotive Lubricant Performance

Select an option below to get started:





## Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


[Non-Bearing Application Points Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Visor/Vanities**  
Provides smooth and consistent long-term operation without breaking down

**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

Home

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

Krytox™ Compatibility

Contact Us

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Airbag Door/Facia Interface**  
Provides smooth and consistent operation, noise mitigation and effective, safe performance

**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides  
Noise, Vibration and Harshness (NVH)  
Elimination**


[Non-Bearing Application Points  
Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



## Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides  
Noise, Vibration and Harshness (NVH)  
Elimination**


[Non-Bearing Application Points  
Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


[Non-Bearing Application Points Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides  
Noise, Vibration and Harshness (NVH)  
Elimination**


[Non-Bearing Application Points  
Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


[Non-Bearing Application Points Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

[Applications Where Krytox™ Provides  
Noise, Vibration and Harshness \(NVH\)  
Elimination](#)


[Non-Bearing Application Points  
Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

[Applications Where Krytox™ Provides  
Noise, Vibration and Harshness \(NVH\)  
Elimination](#)


[Non-Bearing Application Points  
Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


[Non-Bearing Application Points Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


[Non-Bearing Application Points Improved by Krytox™](#)

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch



# Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination

[Home](#)

**Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination**


Non-Bearing Application Points Improved by Krytox™

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides  
Noise, Vibration and Harshness \(NVH\)  
Elimination](#)


**Non-Bearing Application  
Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides Noise, Vibration and Harshness \(NVH\) Elimination](#)


**Non-Bearing Application Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides Noise, Vibration and Harshness \(NVH\) Elimination](#)


**Non-Bearing Application Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides  
Noise, Vibration and Harshness \(NVH\)  
Elimination](#)


**Non-Bearing Application  
Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides Noise, Vibration and Harshness \(NVH\) Elimination](#)


**Non-Bearing Application Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides Noise, Vibration and Harshness \(NVH\) Elimination](#)


**Non-Bearing Application Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Engine/Turbo Cooling System**

Reduces friction for easier/faster assembly

**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

Home

Applications Where Krytox™ Provides Noise, Vibration and Harshness (NVH) Elimination


**Non-Bearing Application Points Improved by Krytox™**

Krytox™ Compatibility

Contact Us

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides Noise, Vibration and Harshness \(NVH\) Elimination](#)


**Non-Bearing Application Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides Noise, Vibration and Harshness \(NVH\) Elimination](#)


**Non-Bearing Application Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

Home

Applications Where Krytox™ Provides  
Noise, Vibration and Harshness (NVH)  
Elimination


**Non-Bearing Application  
Points Improved by Krytox™**

Krytox™ Compatibility

Contact Us

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides  
Noise, Vibration and Harshness \(NVH\)  
Elimination](#)


**Non-Bearing Application  
Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



### Exterior Side View Mirror Mechanism

Provides smooth, consistent  
operation and effective  
performance

#### Other applications not shown:

Soft Top Seal, Clutch Pilot Bearing,  
Minivan Side Door Motor Clutch,  
Heavy Duty Truck Auto-Clutch,  
Super Charger Lubricant, Fan Clutch





# Non-Bearing Application Points Improved by Krytox™

[Home](#)

[Applications Where Krytox™ Provides Noise, Vibration and Harshness \(NVH\) Elimination](#)


**Non-Bearing Application Points Improved by Krytox™**

[Krytox™ Compatibility](#)

[Contact Us](#)

## Your Guide to Increased Automotive Lubricant Performance

Click each numbered application to see how Krytox™ will improve your results.



### Electronic Parking Break Mechanism

Carries gear load without oxidation or evaporation

**Other applications not shown:**  
Soft Top Seal, Clutch Pilot Bearing, Minivan Side Door Motor Clutch, Heavy Duty Truck Auto-Clutch, Super Charger Lubricant, Fan Clutch



# Compatibility

Home

Applications Where Krytox™ Provides  
Noise, Vibration and Harshness (NVH)  
Elimination

Non-Bearing Application Points  
Improved by Krytox™

**Krytox™ Compatibility**

Contact Us

## Your Guide to Increased Automotive Lubricant Performance

### **Krytox™ is compatible with multiple elastomers, plastics and metals:**

- Fluorosilicone
- Hytrel® Polyester Elastomer
- Delrin® Acetal
- Ethylacrylate
- Methyl Silicone
- Butyl 325
- Neoprene WRT
- Kalrez® Fluoroelastomer\*
- Zytel® Nylon
- Viton™ A Fluoroelastomer
- Nycar 100 (Buna N)
- Vespel®
- Urethane
- Hypalon® Synthetic Rubber
- EPT Peroxide Cure
- Hydrocarbon Rubber
- Teflon™ Fluoropolymer
- Alloy Steel
- Stainless Steel
- Titanium Alloy
- Nickel Alloy
- Cobalt Alloy

\*For higher temperature use with Kalrez® perfluoroelastomer,  
request guidance for instruction on proper grades







## Contact Us

Home

Applications Where Krytox™ Provides  
Noise, Vibration and Harshness (NVH)  
Elimination

Non-Bearing Application Points  
Improved by Krytox™

Krytox™ Compatibility

**Contact Us**

## Your Guide to Increased Automotive Lubricant Performance

**For more products and information, visit [Krytox.com](https://www.krytox.com) or call a Krytox™ lubricant technical expert:**

United States/Canada	+1 844 773 2436 or +1 302 773 1000
Asia Pacific - North	+86 400 8056 528
Asia Pacific - South	+91 124 479 7400
Europe/Middle East/Africa	+41 22 719 1500
Brazil	0800 110 728
Mexico	1 800 737 5623 or +55 55 5125 4907 (DF)

The information set forth herein is furnished free of charge and based on technical data that Chemours believes to be reliable. Chemours makes no warranties, express or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents or trademarks.

©2019 The Chemours Company FC, LLC. Krytox™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours™ and the Chemours Logo are trademarks of The Chemours Company.

C-11832 (8/19)